Return of Cattle Mortality in the Mysore State for the official year 1926-27.

District	Description of animals	Contagious diseases										Non-contagious diseases.						Total					
		Rinderpest	Haemorrhagic septicaemia	Anthrax	Blackquarter	Foot and mouth	Surra	Red water	Parastic diarrhoea	Other contagious diseases	Total	Snake-bite	Wild animals	Criminal poisoning	Natural decay and accidents	Other causes	Total	Cattle	Buffaloes	Ponies	Sheep and goats	Asses	Remarks
Bangalore for the year 1925-26.	Cattle ...	171	83	767	2,061	97	...	10	213	157	3,559	80	352	27	3,171	1,528	5,158	8,717	...	...	...	...	
	Buffaloes ...	76	17	68	68	10	...	5	66	49	359	8	28	3	312	308	659	48,20 ...	1,018	...	...	..	
	Ponies ...	...	...	...	...	...	...	...	...	3	3	...	2	...	3	10	15	...	674 ...	18	...	...	
	Sheep and goats...	1	...	186	21	8	...	...	4	268	488	4	116	8	339	436	903	...	...	13 ...	1,391	...	
	Asses ...	...	...	...	2	...	...	...	1	...	3	...	1	...	5	4	10	...	...	...	1,410 ...	13	
Mysore do ...	Cattle ...	1,749	140	609	1,710	42	...	8	371	238	4,867	18	860	2	5,012	1,943	7,835	12,702	...	...	...	32 ...	
	Buffaloes ...	326	42	86	99	17	...	1	147	77	795	2	46	...	620	460	1,128	8,303 ...	1,928	...	..	...	
	Ponies ...	...	...	...	...	...	...	...	...	1	1	...	5	...	5	4	14	...	1,357 ...	15	...	...	
	Sheep and goats...	56	17	18	3	2	...	...	15	31	137	5	142	...	124	238	509	...	...	8 ...	646	...	
	Asses ...	...	...	...	...	...	...	...	...	...	...	1	5	...	8	6	20	...	...	...	1,285 ...	20	
Tumkur do ...	Cattle ...	30	78	518	2,618	70	...	1	129	307	3,746	23	310	8	3,661	1,163	5,165	8,911	...	...	...	10 ...	
	Buffaloes ...	6	18	47	214	7	...	1	34	37	364	3	43	...	489	211	746	53,10 ...	1,110	...	...	...	
	Ponies ...	...	...	...	...	...	...	...	...	...	...	...	3	...	6	5	14	...	772 ...	14	...	...	
	Sheep and goats...	14	2	86	32	41	...	...	29	1,010	1,164	2	326	5	1,189	408	1,880	...	...	17 ...	3,044	...	
	Asses ...	...	...	1	...	...	...	...	...	...	1	...	6	...	5	1	12	...	...	...	1,924 ...	13	
Kolar do ...	Cattle ...	50	66	551	1,408	51	...	...	39	134	2,299	19	83	5	959	660	1,726	4,025	...	...	...	20 ...	
	Buffaloes ...	17	14	82	174	13	...	...	24	36	360	9	8	3	328	218	566	1,933 ...	926	...	...	...	
	Ponies ...	...	...	...	...	...	2	...	...	1	3	0	5	...	14	3	22	...	625 ..	25	...	...	
	Sheep and goats...	106	3	512	88	71	..	...	22	1,791	2,593	5	135	10	735	713	1,598	...	...	6 ...	4,191	...	
	Asses ...	...	...	1	...	...	...	...	...	3	4	...	5	0	9	3	17	...	...	...	2,517 ...	21	
Shimoga do ...	Cattle ...	920	147	463	91	60	...	2	64	283	2,030	138	2,949	7	3,224	1,090	7,408	9,438	...	...	...	16 ...	
	Buffaloes ...	348	20	155	27	16	...	...	44	78	688	94	741	4	1,282	584	2,705	22,153 ...	3,388	...	...	...	
	Ponies ...	...	...	...	...	...	4	...	...	1	5	...	4	...	3	6	13	...	8,274 ...	18	...	...	
	Sheep and goats ...	...	...	2	...	...	...	...	1	...	3	1	39	5	6	45	96	...	...	10 ...	99	...	
	Asses ...	...	...	1	...	..	2	...	...	...	3	...	...	...	2	...	2	...	...	...	115 ...	5 1	

Return of Cattle Mortality in the Mysore State for the official year 1926-27.

District	Description of animals	Contagious diseases										Non-contagious diseases						Total					
		Rinderpest	Haemorrhagic septicaemia	Anthrax	Blackquarter	Foot and mouth	Surra	Red water	Parasitic diarrhoea	Other contagious diseases	Total	Snake-bite	Wild animals	Criminal poisoning	Natural decay and accidents	Other causes	Total	Cattle	Buffaloes	Ponies	Sheep and goats	Asses	Remarks
Hassan (for 1925-26)...	Cattle ...	2,731	162	72	697	51	...	62	265	133	4,173	11	456	24	4,184	842	5,517	9,690 9,623	...	...	...	...	
	Buffaloes ...	474	41	6	64	15	...	11	273	40	924	2	48	1	854	243	1,148	...	2,072 2,164	...	...	...	
	Ponies ...	...	...	...	...	...	1	...	...	1	2	...	9	...	5	1	15	...	...	17 16	...	...	
	Sheep and goats	7	...	...	...	2	...	...	1	26	36	1	28	...	33	16	78	...	...	...	114 677	...	
	Asses ...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	...	...	...	...	2 2	
Kadur do ...	Cattle ...	2,751	31	65	82	50	...	...	64	51	3,094	30	1,185	7	2,612	705	4,539	7,633 6,303	...	...	...	...	
	Buffaloes ...	735	18	13	5	21	...	...	41	16	849	6	152	3	628	219	1,008	...	1,857 1,433	...	...	...	
	Ponies ...	...	...	...	...	...	1	...	...	...	1	...	4	...	5	3	12	...	...	13 11	..	...	
	Sheep and goats ...	29	...	1	...	...	...	...	1	...	31	...	17	...	42	29	88	...	...	...	119 104	...	
	Asses ...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	2	...	...	...	...	2 1	
Chitaldrug do ...	Cattle ...	869	32	295	556	19	1	2	18	86	1,878	54	154	2	2,230	1,469	3,909	5,787 5,684	...	...	...	...	
	Buffaloes ...	658	29	130	108	15	...	...	11	34	985	34	38	...	828	857	1,757	...	2,742 3,817	...	...	...	
	Ponies ...	...	...	...	...	...	...	...	...	...	...	1	3	...	10	9	23	...	...	23 22	...	...	
	Sheep and goats...	197	...	7	14	...	...	19	5	231	473	2	27	9	323	1,892	2,253	...	...	...	2,726 3,310	...	
	Asses ...	...	...	...	...	...	...	...	...	...	...	...	15	...	11	4	30	...	...	...	...	30 11	
Grand Total for 1925-26	Cattle ...	9,271	734	3,340	9,223	440	1	85	1,163	1,389	25,646	373	6,349	82	25,053	9,400	41,257	66,903 64,129	...	...	...	...	
	Buffaloes ...	2,640	199	587	759	114	...	18	640	362	5,319	158	1,104	14	5,341	3,100	9,717	...	15,086 19,116	...	...	...	
	Ponies ...	...	...	...	...	...	8	...	...	7	15	1	35	...	51	41	128	...	...	143 103	...	...	
	Sheep and goats ...	410	22	757	158	124	...	19	78	3,357	4,925	20	830	37	2,741	3,777	7,405	...	...	...	12,330 11,342	...	
Whole grand Total for 1925-26.	Asses ...	...	...	3	2	...	2	...	1	3	11	1	33	...	41	20	95	...	...	...	...	106 93	
		12,321	955	4,687	10,142	678	11	122	1,882	5,118	35,916	553	8,351	133	33,227	16,338	58,602	66,903	15,086	143	12,330	106-94,518	
Total for 1925-26 ...		34,228	771	3,308	3,972	561	14	29	1,788	4,105	48,676	495	9,209	71	22,602	13,730	46,107	64,129	19,116	103	11,342	93-94,783	

Statement showing the percentage of Cattle Mortality Returns received in the Taluks of the Mysore State for the half-year ending with 30th June 1927.

District	Taluk	Total No. of charak villages	Percentage of cattle mortality returns recovered during the months of						Average percentage for the half-year ending 30th June 1927	Average percentage for the half-year ending 31st December 1926
			January	February	March	April	May	June		
Bangalore ..	Bangalore	381	36	37	47	53	54	52	46%	41%
	Anekal	181	84	86	88	87	87	83	86%	81%
	Dodballapur	277	70	59	72	62	61	71	66%	72%
	Nelamangala	286	69	70	72	71	72	73	71%	72%
	Devanhalli	242	48	47	47	52	54	47	49·1%	54%
	Hoskote	316	57	60	61	59	57	48	57%	61%
	Channapatna	129	90	93	91	91	88	89	90%	89%
	Closepet	118	71	73	73	72	67	83	73%	82%
	Magadi	303	—51	54	49	42	50	47	49%	53%
	Kankanhalli	231	97	97	93	96	96	89	94%	96%
Mysore ..	Mysore	131	56	52	45	51	47	46	49%	53%
	Nanjangud	170	57	55	60	54	49	50	54%	56%
	Seringapatam	180	56	65	61	51	62	57	70%	46%
	Chamrajnagar	146	72	71	70	69	73	75	71%	73%
	Gundlupet	131	78	70	79	73	78	80	76%	74%
	Yelandur	33	100	100	94	99	99	100	98%	99%
	Hunsur	321	69	56	54	54	53	46	55%	62%
	Heggaddevankote ..	167	57	77	67	44	57	52	59%	51%
	Nagamangala	340	82	82	87	87	81	80	83%	86%
	Krishnarajpete	335	77	82	84	80	74	82	80%	79%
	Yedatore	150	61	55	56	54	51	58	56%	57%
	Malvalli	216	67	66	81	69	67	59	68%	70%
	Mandya	284	62	64	63	61	58	54	60%	70%
	T.-Narsipur	126	44	42	52	52	56	52	49%	58%
Tumkur ..	Tumkur	409	60	64	56	62	71	64	63%	66%
	Gubbi	361	83	84	83	89	82	77	83%	82%
	Kunigal	288	76	67	69	69	77	69	71%	71%
	Maddagiri	271	67	67	64	66	60	61	64%	74%
	Pavagada	136	84	90	82	85	84	...	86·1%	86%
	Kortagere	143	84	70	87	75	73	80	78%	85%
	Sira	220	73	82	70	73	72	73	74%	73%
	Tiptur	218	73	73	76	76	78	78	75%	77%
	Chiknayakanhalli ..	202	85	85	85	83	83	85	84%	88%
	Turuvekere	142	88	79	89	88	76	87	84%	80%

Statement showing the percentage of Cattle Mortality Returns, etc.—*contd.*

District	Taluk	Total No. of charak villages	Percentage of cattle mortality returns recovered during the months of						Average percentage for the half-year ending 30th June 1927	Average percentage for the half-year ending 31st December 1926
			January	February	March	April	May	June		
Kolar	Kolar	295	74	73	71	74	77	74	74%	76%
	Malur	297	67	61	64	71	62	61	64%	70%
	Mulbagal	308	79	72	78	82	67	74	75%	81%
	Bowringpet	359	58	61	61	64	67	...	62·1%	61%
	Chintamani	273	100	99	97	95	97	97	97%	97%
	Srinivaspur	291	75	87	88	90	90	90	86%	91%
	Sidlaghatta	299	92	92	87	90	90	89	90%	80%
	Chikballapur	216	69	63	74	47	52	46	58%	67%
	Bagepalli	203	90	95	66	88	86	90	86%	94%
	Goribidnur	219	88	87	86	82	81	91	86%	88%
	Gudibanda	99	84	83	74	79	72	89	80%	76%
Shimoga	Shimoga	228	60	52	48	23	47	31	43·5%	60·5%
	Nagar	202	48	93	84	81	78	82	77·6%	86·4%
	Sagar	261	58	64	71	67	70	67	66·1%	63·5%
	Sorab	264	76	92	93	85	81	80	84·5%	80%
	Honnali	168	44	53	51	59	74	65	57·6%	60·4%
	Kumsi	71	93	91	84	86	87	84	87·5%	88·1%
	Channagiri	192	75	77	80	57	64	73	71%	79·5%
	Shikarpur	179	43	48	50	50	57	61	51·5%	55%
	Tirthahalli	246	82	84	78	85	81	72	80·3%	82%
Chitaldrug ..	Chitaldrug	165	68	55	66	50	50	63	58·6%	66·2%
	Jagalur	135	80	80	76	69	69	74	74·6%	77·5%
	Hiriyur	132	78	59	44	63	79	77	66·6%	77·2%
	Davangere	156	85	84	80	87	77	90	83·8%	83·5%
	Harihar	77	98	95	89	92	88	97	93·1%	92·3%
	Hosdurga	187	50	42	40	37	19	44	38·6%	45·2%
	Challakere	158	79	64	50	64	65	65	64·5%	79·3%
	Holalkere	155	71	63	72	73	71	65	69·1%	73·5%
	Molakalmuru	81	72	65	86	85	75	88	78·5%	75·2%

Statement showing the percentage of Cattle Mortality Returns, etc.—*concld.*

District	Taluk	Total No. of charak villages	Percentage of cattle mortality returns recovered during the months of						Average percentage for the half-year ending 30th June 1927	Average percentage for the half-year ending 31st December 1926
			January	February	March	April	May	June		
Hassan	Hassan	357	57	56	61	50	50	65	56·5%	62·1%
	Alur	165	60	62	74	50	72	70	64·6%	73·5%
	Manjarabad	270	71	71	68	39	65	76	65%	71%
	Belur	355	56	49	46	43	43	52	48·1%	52·3%
	Arsikere	325	51	64	65	45	69	60	59%	61·4%
	Hole-Narsipur	200	64	71	64	52	45	60	59·3%	67·4%
	Channarayapatna	368	69	50	63	60	55	60	59·5%	64·5%
	Arkalgud	256	50	43	47	44	34	32	41·6%	40·5%
Kadur	Kadur	245	63	72	60	59	70	53	62·8%	56·4%
	Chikmagalur	219	72	69	67	66	68	69	68·5%	69·4%
	Mudgere	132	69	65	60	83	47	48	62%	73·1%
	Koppa	103	96	94	83	100	92	90	92·5%	93·5%
	Narasimharajapura ..	65	86	89	86	90	87	87	88·5%	83·3%
	Sringeri	24	100	100	100	100	100	100	100%	100%
	Tarikere	189	74	73	72	74	85	70	74·6%	72·2%